I'm not robot
reCAPTCHA
Continue

Busybox android github

You cannot do this at this time. You're signed in with another tab or window. Reload to refresh your session You have signed out on another tab or window. Reload to refresh your session Page 2 You cannot do this at this time. You're signed in with another tab or window. Reload to refresh your session You have signed out on another tab or window. Reload to refresh your session The aim is to gather information and patches on how to create a busy box using a compiler delivered with android NDK currently up to date at busybox 1.31.1, with both integrated NDK API headers 21 and unpredictable headers. tias@ulyssis.org found that the number [1,2] of upstream changes allowed the creation of the latest version of the busy box. Without using any patches: #source busybox git clone git://busybox.net/busybox.git # Use default upstream configuration cp / android_ndk_defconfig .config # Add ndk target skip compiler to your export path, and CROSS_COMPILE output prefix PATH=/path/to/your/android-nddk/android-ndk-r15c/toolchai 4.9/prebuilt/linux/x86 /bin:$PATH export CROSS_COMPILE=/path/to/your/android-ndk/android-ndk-r15c/toolchains/arm-linux-androideabi-4.9/prebuilt/linux-x86/bin/arm-linux-androideabi-#if Android-ndk is not installed in/select/android-ndk, FIX SYSROOT = in .config # (toggle makes all but CFLAGS blank if using standalone cross-compiler) nano #config Make ARCH = arm CROSS_COMPILE =$CROSS_COMPILE These applets are available without any patches: [, [[, acpid, adjtimex, ar, arp, ash, awk, base64, Base name, bbconfig, beep, blkdiscard, blkid, blockdev, bootchartd, BRCTL, bunzip2, bzcat, bzip2, cal, Cat, chat, chat, chgrp, chmod, chown, chpst, chroot, chrt, chvt, cksum, clear, cmp, comm, cpio, crontab, cttyhack, cut, date, dc, dd, deallocvt, depmod, devmem, diff, dirname, dmesg, dnsd, dnsdomainname, dos2unix, dpkg, dpkg-deb, du, dumpkmap, echo, ed, egrep, env, envdir, envuidd, expand, expr, factor, fakeidentd, false, fbset, fbsplash, fdflush, fdflat, fdisk, fgconsole, fgrep, Split, Fsfreeze, Fsync, Fuser, Getopt, Grep, group, gunzip, gzip, stop, hd, hd parm, head, hexdump, host name, httpd, hwclock, id, ifconfig, ifdown, ifenslave, ifplugd, ifup, inetd, inititi, insmod , Installed, Ion, Iostat, IP, Ipaddr, IPCALC, IPLINK, IPNEIGH, iproute, iprule, iptunnel, kbd_mode, kill, killall, killall5, klogd, little, link, linuxrc, ln, loadkmap, losetup, lpd, lpq, lpr, ls, lssattr, lsmods, lspci, lsscsi, lsusb, lz, lz cat, lzop, lzop, lzop, Microcom, mkdir, mkdosfs, mkfifo, mkfs.vfat, mknod, mkswap, mktemp, modinfo, modprobe, more, mpstat, mv, good, nl, nmeter, nohup, nologin, od, openvt, partprobe, paste, patch, pidof, pipe_progress, pivot_root, pkill, pmap, popmaildir, poweroff, powertop, printenv, print, ps, print, print, print, print, print, pwd, pwdx, raidautorun, rdate, rdev, readlink, readprofile, realpath, reboot, reformime, renice, Reset, Resize, rev, rfkill, rmdir, rmdir, rmmod, RPM, RPM2cpio, RTCwake, Run-init, Run-Parts, Runsv, Runsvdir, RX, script, sendmail script, seq, setconsole, setkeycodes, setlogcons, setpriv (no capabilities), setserial, setsid, setid, setuidgid, sh, sha1sum, sha256, sha512sum, showkey, shred, slattach, sleep, smemcap, softlimit, sv, svc, svlogd, switch_root, sync, syscac, tactl, Tail, Bitumen, TC, TCP SVD, Tee, Telnetd, Test, TFTPD, timed, top, touch, tr, real, tty, ttysize, tunctl, tune2fs, udhcpc, udhcpd, udpsvd, uname, unexpand, uniq, unix2dos, unlzma, unlzop, unxz, unzip, uptime, usleep, uudecode, uuencode, vconfig, viconfig, viname, watch, watch, watch, watch, watch, wc, which, whoami, xargs, xxd, xz, xzcat, yes, zcat by using the patch combined with a busy code base: arping, conspy, ejection, ether-wake, flash_eraseall, flash_lock, flash_unlock, fsck.minix, ftpd, hush, irm, ipcs, loadfont, logread, mkfs.minix, nandmp, nand. Rite, nslookup (with its own recognizer), pgrep, ping6, Route, setfont, ssl_client, swapon, swapoff, syslogd, time, traceroute6, ubi*, u*ubi, unshare, zcip should also not notice that while they create without problems, these apples do not work properly on Android without any patches: df, fsck, ftpget, ftpput, mke2, mk.extfs2, mkf reiser, mount, mount, nbd-client, ncoffs, pscanfs, pscanfs, Reboot, telnet, tftp, traceroute, umount, wget, whois (when using certain patches, you should include all patches with a lower number as well, often with references between them). The remaining configuration options of 'defconfig' are not created correctly. See the list of the corresponding configuration and error options below. The configuration options that do not generate these error code errors indicate a bug (usually in a restricted Android Libc library called bionic) and can often be edited by adding patches to the code, busybox, all logon/password management utility CONFIG_USE_BB_PWD_GRP - Error: 'struct passwd'. No member named 'pw_gecos' disabled CONFIG_ADD_SHELL, CONFIG_ADDGROUP, CONFIG_ADDUSER, CONFIG_CHPASSWD, CONFIG_CRYPTPW, CONFIG_DELGROUP, CONFIG_DELUSER, CONFIG_GETTY, CONFIG_LOGIN, CONFIG_MKPASSWD CONFIG_PASSWD, CONFIG_REMOVE_SHELL, CONFIG_SU, CONFIG_SULOGIN, CONFIG_VLOCK CONFIG_ARPING -- with patch/network-arping.c:122:4: error: Pointer to incomplete category CONFIG_BC - miscutils /bc.c:224:18: Error: Expected ':', ',"""__attribute__' before 'num' CONFIG_ETHER_WAKE -- with patch - network/ether-wake.c:131:6: Warning: Delegation makes pointers from integers without throwing CONFIG_FEATURE_IPV6 -- patch - network/ifconfig.c:132:8 Error: Red Definition of 'in6_ifreq' CONFIG_FEATURE_IFUPDOWN_IPV6 CONFIG_FEATURE_PREFER_IPV4_ADDRESS CONFIG_PING6 CONFIG_TRACEROUTE6 , CONFIG_UDHCPC6, CONFIG_FEATURE_NSLOOKUP_BIG, CONFIG_FEATURE_NSLOOKUP_LONG_OPTIONS - Networking /nslookup.c:278:4: Error: 'ns_t_soa' has not yet been published here (not in functionality) CONFIG_FEATURE_UTMP, CONFIG_FEATURE_WTMP - init/halt.c:86: Error: Unpublished 'RUN_LVL' (first used in this function) Disabled CONFIG_LAST, CONFIG_RUNLEVEL, CONFIG_USERS, CONFIG_WALL, CONFIG_WHO CONFIG_IPCS - with patch - util-linux/ipcs.c:7:7: Error: Redefining 'semun union' CONFIG_IPCRM -- with patch - util-linux/ipcrm.c:35:7: Error: Redefining 'union semun' CONFIG_LFS -- Contains the patch (trial) - including /libbb.h:256: Error: The size of the array 'BUG_off_t_size_is_misdetected' is negative CONFIG_LOGGER - sysklogd/logger.c:36: Error: Expected ';', ',' or ')' before the token '*' CONFIG_LOGREAD - with a patch - sysklogd/logread.c:124:8: Warning: Delegation makes pointers from integers without throwing CONFIG_NSLOOKUP - with patches (with their own correction r) -- Network /nslookup.c:154:27: Error: dereferencing Pointer to category incomplete CONFIG_ROUTE - contains patch -- from network/path.c:46: MNTOPT_NOAUTO.c CONFIG_SWAPON CONFIG_SWAPOFF ifru_addr [...] in this function) CONFIG_SYSLOGD - with patch - sysklogd / syslogd_and_logger.c:53:14: Error: Unknown type name 'CODE' CONFIG_TLS -- with patch - network / tls_pstm_montgomery_reduce.c:66:1: Error: Operand 'asm' has an impossible limit to disable CONFIG_SSL_CLIENT, CONFIG_FEATURE_WGET_HTTPS CONFIG_ZCIP - With patch - Network /zcip.c:71:19: Error: Field 'arp' has an incomplete Config option that does not create the missing library. These errors indicate that the library is missing from the libc usage of Android sys /kd.h - with CONFIG_CONSPY patch - miscutils/conspy.c:45:20: Error: sys / kd.h: No files or directories CONFIG_LOADFONT, CONFIG_SETFONT - Console Tool /loadfont.c:61:20: Error: sys /kd.h: No other files or directories CONFIG_EJECT - with patches - util-linux / eject .c:49:22: Error: scsi/sg.h: No files or directories CONFIG_FEATURE_FTPD_AUTHENTICATION CONFIG_FTPD - with patch - libbb / pw_encrypt.c:9:19: Error: crypt:h: CONFIG_FEATURE_INETD_RPC - Network /inetd.c:176:176:176:122: Error: rpc/rpc.h: No such files or directories CONFIG_FEATURE_SHADOWPASSWDS - including /libbb.h:61:22: Error: shadow.h: CONFIG_USE_BB_PWD_GRP, CONFIG_USE_BB_SHADOW may work, but there is a code error as noted above CONFIG_HUSH - with patch - shell / hush.c:342:18: Error: glob.h: No such files or directories CONFIG_I2C* - miscutils / i2c_tools.c:65:27: Error: linux / i2c-dev.h: No such files or directories disable CONFIG_I2CDETECT, CONFIG_I2CDUMP, CONFIG_I2CGET, CONFIG_I2CSET CONFIG_LINUX32, CONFIG_LINUX64, CONFIG_SETARCH - linux/ Error: sys / Personality.H: No such files or directories CONFIG_MT - miscutils / mt.c:19:22: Error: sys / mtio.h: No such files or directories CONFIG_MT - miscutils / mt.c:19:22: Error: sys / mtio.h: No such files or directories CONFIG_MT - miscutils / mt.c:19:22: Error: sys / mtio.h: No such files or directories CONFIG_MT - miscutils / mt.c:19:22: Error: sys / mtio.h: No such files or directories CONFIG_MT - miscutils / mt.c:19:22: Error: sys / mtio.h: No such files or directories CONFIG_MT - miscutils / mt.c:19:22: Error: sys / mtio.h: There are no such files or directories. There are no such files or directories. or directory CONFIG_NANDDUMP, CONFIG_NANDWRITE -- has patch -- miscutils/nandwrite.c:54:26: error: mtd/mtd-user.h: No such file or directory CONFIG_NTPD -- networking/ntpd.c:49:23: error: sys/timex.h: No such file or directory CONFIG_UDHCPC6 -- has patch -- networking/udhcp/d6_socket.c:10:21: error: ifaddrs.h: No such file or directory CONFIG_UBI* -- has patch -- miscutils/ubi_tools.c:69:26: error: mtd/ubi-user.h: No such file or directory disables CONFIG_UBIATTACH, CONFIG_UBIDETACH, CONFIG_UBIMKVOL, CONFIG_UBIRENAME, CONFIG_UBIRMVOL, CONFIG_UBIRSVOL, CONFIG_UBIUPDATEVOL Config options that give a linking error Android's libc implementation claims to implement the methods in the error, but surprisingly does not. bit -- has patch CONFIG_FSCK_MINIX -- undefined reference to 'setbit', 'clrbit' CONFIG_MKFS_MINIX -- undefined reference to 'setbit', 'clrbit' mntopt -- has patch CONFIG_SWAPOFF -- undefined reference to 'hasmntopt' CONFIG_SWAPON -- undefined reference to 'hasmntopt' others CONFIG_ETHER_WAKE -- has patch -- undefined reference to 'ether_hostton' CONFIG_FALLOCATE -- undefined reference to 'posix_fallocate' CONFIG_FEATURE_HTTPD_AUTH_MD5 -- undefined reference ถึง 'crypt' CONFIG_FEATURE_SYNC_FANCY -- การอ้างอิงที่ไม่ได้กำหนดไปยัง 'syncfs' CONFIG_HOSTID -- การอ้างอิงที่ไม่ได้กำหนดไปยัง 'gethostid' CONFIG_LOGNAME -- การอ้างอิงที่ไม่ได้กำหนดไปยัง 'getlogin_r' CONFIG_MDEV -- การอ้างอิงที่ไม่ได้กำหนดไปยัง 'sigtimedwait' CONFIG_NPROC -- การอ้างอิงที่ไม่ได้กำหนดไปยัง 'sched_getaffinity' CONFIG_NSENTER -- การอ้างอิงที่ไม่ได้กำหนดไปยัง 'sigtimedwait' CONFIG_NPROC -- การอ้างอิงที่ไม่ได้กำหนดไปยัง 'sched_getaffinity' CONFIG_NSENTER -- การอ้างอิงที่ไม่ได้กำหนดไปยัง 'setns' CONFIG_TIME -- มีแพทช์ -- การอ้างอิงที่ไม่ได้กำหนดไปยัง 'wait3' CONFIG_UDHCPC6 -- มีแพทช์ -- การอ้างอิงที่ไม่ได้กำหนดไว้เพื่อ 'getifaddrs', 'freeifaddrs' CONFIG_UNSHARE -- การอ้างอิงที่ไม่ได้กำหนดไว้เพื่อ 'ยกเลิกการใช้ร่วมกัน' หน้า 2 จุดมุ่งหมายคือการรวบรวมข้อมูลและแพทช์เกี่ยวกับวิธีการสร้าง busybox โดยใช้คอมไพเลอร์ที่จัดส่งกับ Android NDK ปัจจุบันทันสมัยณ busybox 1.31.1 โดยมีทั้งส่วนหัวแบบรวม NDK API 21 และส่วนหัวที่ไม่ถูกคาดเดา tias@ulyssis.org found that the number [1,2] of upstream changes allowed the creation of the latest version of the busy box. Without using any patches: #source busybox git clone git://busybox.net/busybox.git # Use default upstream configuration cp / android_ndk_defconfig .config # Add ndk target skip compiler to your export path, and CROSS_COMPILE output prefix PATH=/path/to/your/android-nddk/android-ndk-r15c/toolchai 4.9/prebuilt/linux/x86 /bin:$PATH export CROSS_COMPILE=/path/to/your/android-ndk/android-ndk-r15c/toolchains/arm-linux-androideabi-4.9/prebuilt/linux-x86/bin/arm-linux-androideabi-#if Android-ndk is not installed

in/select/android-ndk, FIX SYSROOT = in .config # (toggle makes all but CFLAGS blank if using standalone cross-compiler) nano #config Adjust the enabled applet/features (optional) make #menuconfig create it! =$CROSS_COMPILE These applets are available without any patches: [, [,acpid, adjtimex, ar, arp, ash, awk, base64, base name, bbconfig, beep, beep, blkid, blockdev, bootchartd, BRCTL, bunzip2, bzcat, bzip2, cal, cat, cat, chat, chat, chat, chgrp, chmod, chown, chpst, chroot, chrt, chvt, cksum, clear, cmp, comm, cpio, crond, crontab, cttyhack, dd, deallocvt, depmod, devmem, diff, diff, dirname, dmesg, dnsd, dnsd, dnsainainname, dos2unix, dpkg, dpkg-deb, du, dumpk, echo, ed, egrep, envurev, envu regenerat Expand, expr, factor, fake, false, fbset, fbset, Flech, fdformat, fdisk, fgconsole, fgrep, search, findfs, flashcp, flock, fold, free, freeramdisk, fsfreeze, fsync, fuser, getopt, grep, group, gunzip, gzip, halt, hd, hdparm, head, hexdump, hostname, httpd, hwclock, id, ifconfig, ifconfig, ifenslave, ifpl ifup, inetd, init, inotifyd, inmods, install, ion, iostat, ip, ipaddr, ipcalc, iplink, iplink, ipneigh, iproute, iprule, iptunnel, kbd_mode, kill, kill, kill, kill 5, klogd, little, link, linuxrc, ln, loadkmap, , ls, sattr, lsmod, lspci, lspci, lss, scsisb, 88, lzma, lzop, lzopcat, makedevs, makemime, man, md5sum, mesg, microcom, mkdir, mkdos, mkfifo, mkfs.vfat, mknod, mkswap, mkmpte, modinfo, modprobe, more, mpstat, mvstat, good, nl, n, nometerup, nologm, nologin, odv, partprobe, paste, patch, pidof, pipe_progress, pivot_root, pkill, pmap, popmaildir, poweroff, powertop, printenv, printf, ps, pstree, pwdx, raidautorun, rdate, rdev, readlink , realpath, Reboot, reform, renice, reboot, reboot, reboot, reboot, reboot, reboot, reboot, reboot, Reset, Resize, rev, rfkill, rmdir, rmmod, RPM, RPM 2cpio, RTCwake, Run-Init, run-parts, runsvdir, rx, script, script, sed, sendmail, seq, setconsole, setkeycodes, setlogcons, setpriv (incompetence), setuidgid, sh, sha1sum, sha256sum, sha512sum, showkey, rip, slattach, sleep, smemcap, softlimit, sort, sort, split, stop-daemon, slat, s Total, SV, SVC, SVLOGd, switch_root, Sync, Sysctl, TAC, tcpsvd, tee, telnetd, Test, TFTPD, timed, top, touch, tr, real, ttysize, tunctl, tune2fs, udhcpc, udhcpd, udpsvd, uname, uncompress, unexpand, uniq, unix2dos, unma, unlzop, unxz, unzip, uptime, usleep, uude, uude, uude, uude, uude, uuencode, vconfig, vim, viname, watch, watchdog, wc, which, whoami, xargs, xargs, xz, xzcat, yes, zcat by using the patches included in the code base busybox you will get more: arping, conspy, eject, ether-wake, flash_eraseall, flash_lock, flash_unlock, fsck.minix, ftpd, hush, ipcrm, ipc, ipcs, loadfont, logread, mkfs. dump, nandwrite, nslookup (with its own classification), pgrep, ping6, route, setfont, ssl_client, swapon, swapoff, syslogd, time, traceroute6, ubi*, udhcpc6, unshare, zcip Also, it should be noted that while they are created without problems, these applets do not work properly on Android without any patches: df, fsck, ftpget, ftpput, mke2fs, mkfs. Reboot, telnet, tftp, traceroute, umount, wget, whois (when using some patches you should include all patches with a lower number as well, there are Often, the dependencies between them). The remaining configuration options of 'defconfig' are not created correctly. See the list of the corresponding configuration and error options below. The configuration options that do not generate these error code errors indicate a bug (usually in a restricted Android Libc library called bionic) and can often be edited by adding patches to the code, busybox, all logon/password management utility CONFIG_USE_BB_PWD_GRP - Error: 'struct passwd'. No member named 'pw_gecos' disabled CONFIG_ADD_SHELL, CONFIG_ADDGROUP, CONFIG_ADDUSER, CONFIG_CHPASSWD, CONFIG_CRYPTPW, CONFIG_DELGROUP, CONFIG_DELUSER, CONFIG_GETTY, CONFIG_LOGIN, CONFIG_MKPASSWD CONFIG_PASSWD, CONFIG_REMOVE_SHELL, CONFIG_SU, CONFIG_SULOGIN, CONFIG_VLOCK CONFIG_ARPING -- with patch/network-arping.c:122:4: error: Pointer to incomplete category CONFIG_BC - miscutils /bc.c:224:18: Error: Expected ':', ',',"""__attribute__' before 'num' CONFIG_ETHER_WAKE -- with patch -- network/ether-wake.c:131:6: Warning: Delegation makes pointers from integers without throwing CONFIG_FEATURE_IPV6 -- with patches - network/ifconfig.c:132:8 Error: Red Definition of 'in6_ifreq' CONFIG_FEATURE_IFUPDOWN_IPV6 CONFIG_FEATURE_PREFER_IPV4_ADDRESS CONFIG_PING6 CONFIG_TRACEROUTE6 , CONFIG_FEATURE_IFUPDOWN_IPV6 CONFIG_FEATURE_PREFER_IPV4_ADDRESS CONFIG_PING6 CONFIG_TRACEROUTE6 , CONFIG_UDHCPC6 CONFIG_FEATURE_IFUPDOWN_IPV6 CONFIG_FEATURE_PREFER_IPV4_ADDRESS CONFIG_PING6 CONFIG_TRACEROUTE6 CONFIG_FEATURE_UDHCPC6_RFC* CONFIG_FEATURE_NSLOOKUP_BIG, CONFIG_FEATURE_NSLOOKUP_LONG_OPTIONS - Networking /nslookup.c:278:4: Error: 'ns_t_soa' has not yet been published here (not in function) CONFIG_FEATURE_UTMP, CONFIG_FEATURE_WTMP - init/halt.c:86: Error: Unpublished 'RUN_LVL' (first used in this function) Disabled CONFIG_LAST, CONFIG_RUNLEVEL, CONFIG_USERS, CONFIG_WALL, CONFIG_WHO CONFIG_IPCS - with patch - util-linux/ipcs.c:7:7: Error: Redefining 'semun union' CONFIG_IPCRM -- with patch - util-linux/ipcrm.c:35:7: Error: Redefining 'union semun' CONFIG_LFS -- Contains the patch (trial) - including /libbb.h:256: Error: The size of the array 'BUG_off_t_size_is_misdetected' is negative CONFIG_LOGGER - sysklogd/logger.c:36: Error: Expected ';', ',' or ')' before the token '*' CONFIG_LOGREAD - with a patch - sysklogd/logread.c:124:8: Warning: Delegation makes pointers from integers without throwing CONFIG_NSLOOKUP - with patches (with their own correction r) -- Network /nslookup.c:154:27: Error: dereferencing Pointer to category incomplete CONFIG_ROUTE - contains patch -- from network/path.c:46: MNTOPT_NOAUTO.c CONFIG_SWAPON CONFIG_SWAPOFF ifru_addr [...] in this function) CONFIG_SYSLOGD - with patch - sysklogd / syslogd_and_logger.c:53:14: Error: Unknown type name 'CODE' CONFIG_TLS - with patch - Network / tls_pstm_montgomery_reduce.c:66:1: Error: Operand 'asm' has impossible restrictions disabled CONFIG_SSL_CLIENT, CONFIG_FEATURE_WGET_HTTPS - With patch - Network / zcip.c:71:19: Error: The 'arp' field has an incomplete category configuration option. There is an incomplete category configuration option. Do not create a missing library these errors indicate that the library is missing from the libc usage of Android sys /kd.h - with patch CONFIG_CONSPY - miscutils/conspy.c:45:20: Error: sys / kd.h: No files or directories CONFIG_LOADFONT, CONFIG_SETFONT - Console Tool /loadfont.c:61:20: Error: sys /kd.h: No other files or directories CONFIG_EJECT - with patches - util-linux / eject .c:49:22: Error: scsi/sg.h: No files or directories CONFIG_FEATURE_FTPD_AUTHENTICATION CONFIG_FTPD - with patch - libbb / pw_encrypt.c:9:19: Error: crypt:h: CONFIG_FEATURE_INETD_RPC - Network /inetd.c:176:176:176:122: Error: rpc/rpc.h: No such files or directories CONFIG_FEATURE_SHADOWPASSWDS - including /libbb.h:61:22: Error: shadow.h: CONFIG_USE_BB_PWD_GRP, CONFIG_USE_BB_SHADOW may work, but there is a code error as noted above CONFIG_HUSH - with patch - shell / hush.c:342:18: Error: glob.h: No such files or directories CONFIG_I2C* - miscutils / i2c_tools.c:65:27: Error: linux / i2c-dev.h: No such files or directories disabled CONFIG_I2CDETECT, CONFIG_I2CDUMP, CONFIG_I2CGET, CONFIG_I2CSET CONFIG_LINUX32 CONFIG_LINUX64, CONFIG_SETARCH - util-linux/setarch.c:29:29: Error: sys / Personality.H: No such files or directories CONFIG_MT - miscutils / mt.c:19:22: Error: sys / mtio. H: No such files or directories CONFIG_NANDDUMP, CONFIG_NANDWRITE - with patches - miscutils / nandwrite.c:54:26: Error: mtd / mtd-user.h: No such files or directories CONFIG_NTPD - Network / ntpd.c:49:23: Error: sys /timex.h: CONFIG_UDHCPC6 - With patch - Network / udhcp / d6_socket.c:10:21: Error: ifaddrs.h: No such files or directories CONFIG_UBI* - with patch-miscutils / ubi_tools.c:69:26: Error: mtd / ubi-user.h: No such files or directories are disabled CONFIG_UBIATTACH, CONFIG_UBIDETACH, CONFIG_UBIMKVOL, CONFIG_UBIRENAME, CONFIG_UBIRMVOL, CONFIG_UBIRSVOL, CONFIG_UBIUPDATEVOL config options that give a linking error Android's libc implementation claims to implement the methods in the error, but surprisingly does not.bit - has patch CONFIG_FSCK_MINIX - undefined reference to 'setbit', 'clrbit' CONFIG_MKFS_MINIX - undefined reference to 'bit set', 'clrbit' mntopt - has a patch CONFIG_SWAPOFF CONFIG_MKFS_MINIX <3> -- undefined reference to 'hasmntopt' CONFIG_SWAPON -- undefined reference to 'hasmntopt' others CONFIG_ETHER_WAKE -- has patch -- undefined reference to 'ether_hostton' CONFIG_FALLOCATE - undefined reference to 'posix_fallocate' CONFIG_FEATURE_HTTPD_AUTH_MD5 - undefined reference to 'crypt' CONFIG_FEATURE_SYNC_FANCY to 'syncfs' CONFIG_HOSTID -- undefined reference to 'gethostid' CONFIG_LOGNAME -- undefined reference to 'getlogin_r' CONFIG_MDEV - undefined reference to 'sigtimedwait' CONFIG_NPROC - undefined reference to 'sched_getaffinity' CONFIG_NSENTER - undefined reference to 'setns' CONFIG_TIME -- patch -- undefined reference to 'wait3' CONFIG_UDHCPC6 -- has patch -- undefined reference to 'getifaddrs' , , CONFIG_UNSHARE -- An undefined reference to 'Unshare', 'Unshare'.

normal_5fbdfa91ac597.pdf , bhairava tamil full movie tamilrockers , normal_5fae7e9e2ad48.pdf , funny english short story pdf , authoritarian parenting styles pdf , san juanito music description , nwu prospectus 2020 pdf , normal_5f9c6e824ae0f.pdf , normal_5f9faa746789d.pdf , 1 click video site builder , ghost of spirit bear pdf , normal_5fc030f4eb3a7.pdf , normal_5fa98db72d919.pdf , normal_5f9a154f28f90.pdf ,